

बिड दस्तावेज़ / Bid Document

बिड विवरण/Bid Details	
बिड बंद होने की तारीख/समय /Bid End Date/Time	19-06-2026 17:00:00
बिड खुलने की तारीख/समय /Bid Opening Date/Time	19-06-2026 17:30:00
बिड पेशकश वैधता (बंद होने की तारीख से)/Bid Offer Validity (From End Date)	180 (Days)
मंत्रालय/राज्य का नाम/Ministry/State Name	Ministry Of Labour And Employment
विभाग का नाम/Department Name	Na
संगठन का नाम/Organisation Name	Employees State Insurance Corporation (esic)
कार्यालय का नाम/Office Name	Esic Medical College And Hospital Alwar Rajasthan
शिकायत निवारण के संपर्क विवरण/ Contact details of Grievance redressal	dr.nitish.kalra1@esic.gov.in
कुल मात्रा/Total Quantity	176
वस्तु श्रेणी /Item Category	Vitamin b12 G2 ElecsysE2G 300 , Vitamin D total G3 Elecsys E2G 300 , FSH Elecsys E2G 300 V2 , LH Elecsys E2G 300 , Prolactin G2 Elecsys E2G 300 , FT3 G3 Elecsys E2G 300 V2 , FT4 G3 Elecsys E2G 300 , TSH Elecsys E2G 300 V2 , HCG plus beta Elecsys E2G , FSH CS Elecsys V3 , FT3 G3 CS Elecsys V2 , FT4 G3 CS Elecsys , LH G2 CS Elecsys , Prolactin G2 CS Elecsys , TSH CS Elecsys V3 , Vitamin b12 G2 CS Elecsys V2 , HCG plus beta CS ElecsysV2 , Vitamin D total G3 CS Elecsys , CleanCell M 2 into 2L Elecsys Cobas e , PreClean M G2 2x2L Elecsys E2G , ProCell M 2 into 2L Elecsys cobas e , Vitamin D total G3 PC Elecsys , Preci Control Universal Elecsys V2 , Preci Control Elecsys TM , Preci Control Varia Elecsys , Solution Cleaning ISE , Diluent Universal E2G
GeMARPTS में खोजी गई स्ट्रिंग्स / Searched Strings used in GeMARPTS	Vitamin b12 G2 ElecsysE2G 300, Vitamin D total G3 Elecsys E2G 300, FSH Elecsys E2G 300 V2, LH Elecsys E2G 300, Prolactin G2 Elecsys E2G 300, FT3 G3 Elecsys E2G 300 V2, FT4 G3 Elecsys E2G 300, TSH Elecsys E2G 300 V2, HCG plus beta Elecsys E2G 300, FSH CS Elecsys V3, FT3 G3 CS Elecsys V2, FT4 G3 CS Elecsys, LH G2 CS Elecsys, Prolactin G2 CS Elecsys, TSH CS Elecsys V3, Vitamin b12 G2 CS Elecsys V2, HCG plus beta CS ElecsysV2, Vitamin D total G3 CS Elecsys, CleanCell M 2 into 2L Elecsys Cobas, PreClean M G2 2x2L Elecsys E2G, ProCell M 2 into 2L Elecsys cobas e, ISE cleaning solution, PreciControl Universal Elecsys V2, PreciControl TM Elecsys, Preci ContrVariaElecsys, Vitamin D total G3 PC Elecsys, Diluent Universal E2G
	Searched String: Vitamin b12 G2 ElecsysE2G 300

विड विवरण/Bid Details Vitamin C Injection with Vitamin B12, Folic Acid, Niacinamide Injection (2 Part Combi Pack Multivitamin Injection),

Immunoassay Analyzer Reagent Kit for Human Samples, Sofa (V3), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Desk and Bench Set for Classroom/Training Area, ELISA Test Kits (V2), Multipara Monitor - Low End, High End Desktop Computer, water baths, Mobile Storage Compactors

Searched String: Vitamin D total G3 Elecsys E2G 300

Immunoassay Analyzer Reagent Kit for Human Samples, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Calcium + Vitamin D3, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Laboratory Vials (V2), Inflatable Tent, Pin Up Notice Board (V2), Household Refrigerating Appliances as per IS 17550

Searched String: FSH Elecsys E2G 300 V2

300mA X - Ray Machine (V2), Brushes, Shoe Polishing (V2) conforming to IS 3009, Auditorium Chair (V2), Sofa (V3), BiPAP Full Face Mask (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Aortic Cannula (V2), Desk and Bench Set for Classroom/Training Area, Multipara Monitor - Low End, High End Desktop Computer

Searched String: LH Elecsys E2G 300

Laboratory Desiccator (V2), Pin Up Notice Board (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Leather Gauntlets and Mittens (V2) Conforming to IS 2573, Inflatable Tent, Safety Relief Valves- Spring Loaded, Compostable Nursery Bags

Searched String: Prolactin G2 Elecsys E2G 300

Telephone Line Cord, Sofa (V3), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Desk and Bench Set for Classroom/Training Area, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Multipara Monitor - Low End, Compostable Nursery Bags, High End Desktop Computer, Laboratory Desiccator (V2)

Searched String: FT3 G3 Elecsys E2G 300 V2

CO2 Fractional Laser Machine (V2), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, Compostable Nursery Bags, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Laboratory Desiccator (V2), Reverse Osmosis based Point of Use Water Treatment System for Drinking Purposes (V3) as per IS 16240, Pin Up Notice Board (V2), Blood Collection Tube, Desk and Bench Set for Classroom/Training Area, Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2)

Searched String: FT4 G3 Elecsys E2G 300

CO2 Fractional Laser Machine (V2), water baths, Compostable Nursery Bags, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Pin

बिड विवरण / Bid Details

Up Notice Board (V2), Blood Lancets, A3 Size Multifunction Printer (MFP), Dry Erase Writing Boards (V3), Handloom Cotton Bed Sheets (V2) as per IS 745, Spinal Needle (V2)

Searched String: TSH Elecsys E2G 300 V2

300mA X - Ray Machine (V2), Brushes, Shoe Polishing (V2) conforming to IS 3009, Auditorium Chair (V2), Sofa (V3), BiPAP Full Face Mask (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Aortic Cannula (V2), Desk and Bench Set for Classroom/Training Area, Multipara Monitor - Low End, High End Desktop Computer

Searched String: HCG plus beta Elecsys E2G 300

Category not available on GeM for the text string uploaded by the buyer

Searched String: FSH CS Elecsys V3

Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Sofa Set or Couch (Handicraft) (V2), Desk Only for Classroom/Training Area, Mobile Storage Compactors, Sofa (V3), Desk and Chair Set for Classroom/Training Area, Heavy Duty Storage Racks

Searched String: FT3 G3 CS Elecsys V2

Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, High End Desktop Computer, CO2 Fractional Laser Machine (V2), Entry and Mid Level Desktop Computer, Interactive Panels with CPU, Sofa Set or Couch (Handicraft) (V2), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Sofa (V3), Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), All in One PC (V2)

Searched String: FT4 G3 CS Elecsys

A3 Size Multifunction Printer (MFP), Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Desk and Bench Set for Classroom/Training Area, Desk Only for Classroom/Training Area, Desk and Chair Set for Classroom/Training Area, Pneumatic impact wrenches, Portable Fire Extinguishers (V3) ISI Marked to IS 15683, shoes school pvc boys girls, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Flat Cable, Copper Conductor with PVC Insulation and Sheathed ISI Marked To IS 694

Searched String: LH G2 CS Elecsys

Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing Pipes for Bore / Tubewells (V2) as per IS 12818, Sofa Set or Couch (Handicraft) (V2), Desk and Chair Set for Classroom/Training Area, Bunk Beds conforming to IS 17636, Desk Only for Classroom/Training Area, Mobile Storage Compactors, Heavy Duty Storage Racks, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Desk and Bench Set for Classroom/Training Area, Garden Bench

Searched String: Prolactin G2 CS Elecsys

Unplasticized Polyvinyl Chloride (PVC - U) Screen and Casing

GeMARPTS में खोजा गया परिणाम / Searched Result generated in GeMARPTS

बिड विवरण / Bid Details	Pipes for Bore / Tubewells (V2) as per IS 12818, Sofa Set or Couch (Handicraft) (V2), Desk and Chair Set for
	<p>Classroom/Training Area, Bunk Beds conforming to IS 17636, Desk Only for Classroom/Training Area, Mobile Storage Compactors, Heavy Duty Storage Racks, Wooden Shelf / Case / Rack / Credenza / Modular Storage (V2), Desk and Bench Set for Classroom/Training Area, Garden Bench</p> <p>Searched String: TSH CS Elecsys V3</p> <p>Waiting Area / Airport Terminal / Public Place / Reception area Chair or Seat (V2), Sofa Set or Couch (Handicraft) (V2), Desk Only for Classroom/Training Area, Mobile Storage Compactors, Sofa (V3), Desk and Chair Set for Classroom/Training Area, Heavy Duty Storage Racks</p> <p>Searched String: Vitamin b12 G2 CS Elecsys V2</p> <p>Desk and Bench Set for Classroom/Training Area, Mineral Mixtures For Supplementing Cattle Feeds Conforming to IS 1664, Permeable Nonwoven Surgical Adhesive Tape Conforming to IS 16948, Desk and Chair Set for Classroom/Training Area, Laboratory Desiccator (V2), Sofa Set or Couch (Handicraft) (V2), shoes school pvc boys girls, Desk Only for Classroom/Training Area, Elastic Surgical Adhesive Tapes (V2), Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014</p> <p>Searched String: HCG plus beta CS ElecsysV2</p> <p>ELISA Test Kits (V2), Portable Fire Extinguishers (V3) ISI Marked to IS 15683, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), 3 Dimensional Visual Teaching Content Software for ITI, Immunoassay Analyzer Reagent Kit for Human Samples, Camera for CCTV System (V3), Package No. 2 Atal Tinkering Lab of Niti Aayog Rapid Prototyping Tools</p> <p>Searched String: Vitamin D total G3 CS Elecsys</p> <p>Calcium + Vitamin D3, Immunoassay Analyzer Reagent Kit for Human Samples, Laboratory Vials (V2)</p> <p>Searched String: CleanCell M 2 into 2L Elecsys Cobas</p> <p>Cotton Cloth Bag for Seed Packing - Capacity From 0.75 Kg to 12 Kg - National Seeds Corporation Limited, Mechanically Woven, Double - Twisted, Hexagonal Wire Mesh Gabions, Revet Mattresses and Rock Fall Netting as per IS 16014, Polyurethane Tube (V2), water baths, Environmental Chamber, Badminton Net (V2) Conforming to IS 3345, Plaster of Paris Bandage Conforming to IS 4738, Precast Concrete Pipes (With And Without Reinforcement) (V2) As Per Is 458, Internal Storage Device (SSD/HDD) (V2), CO2 Incubator</p> <p>Searched String: PreClean M G2 2x2L Elecsys E2G</p> <p>Telephone Line Cord, Sofa (V3), XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), PVC Insulated Unsheathed Cable with Flexible Conductor ISI Marked To IS 694, Desk and Bench Set for Classroom/Training Area, PVC Insulated Copper Cable Single Core and Multi Core Circular Sheathed with Flexible Conductor (V2) ISI Marked To IS 694, Multipara Monitor - Low End, Tent Extendable Frame Supported With Mild Steel</p>

बिड विवरण / Bid Details	Joints and Flooring TPO, High End Desktop Computer, Inflatable Tent
	<p>Searched String: ProCell M 2 into 2L Elecsys cobas e</p> <p>Laboratory Glassware Bottles (Conical Neck Bottles) as per IS 1388 (Part 2), Laboratory Glassware Volumetric Flask, Add on GATEWAYS and Accessories for PABX System, Bi Double Distillation Water Unit (V2), Laboratory Desiccator (V2)</p> <p>Searched String: ISE cleaning solution</p> <p>Cleaning Solution for Diagnostic Analyzers, Cleaning Duster (V3), Laboratory Glassware Cleaning Solutions, Cleaning scrapers, industrial vacuum cleaner, Ultra low temperature laboratory deep freezer, Drain Cleaning Rods, MEMBRANE CLEANING CHEMICAL, Hospitals Cleaning Gloves, Camera Cleaning Kit</p> <p>Searched String: PreciControl Universal Elecsys V2</p> <p>Universal Pipette Tips (V2), Digital pH Meter, Universal Recoil Fluid (URF) - Defence (V2), Stack Monitoring Kit, Bag Kit Universal (N/P) (V2) (IAF), ATM Universal testing machine, Kadhai</p> <p>Searched String: PreciControl TM Elecys</p> <p>Cardiac TMT Machine (V2), Agar Media, Positive Air Pressurized (PAP) Suit, Precision Height Gauge, Soybean casein digest medium, Broth Media, Bearing Induction Heater</p> <p>Searched String: Preci ContrVariaElecsys</p> <p>Precision Air Conditioner, Precision Height Gauge, Dosing pump, Precipitated Barium Carbonate - IS 3205, LED Machine Work Lamp, Hydraulic Horizontal Surface Grinders, Double Side Lapping and Polishing Machine, Synchronous Servo Motor, Unmanned Aerial Vehicle / Drones for Agricultural Purposes (V3)</p> <p>Searched String: Vitamin D total G3 PC Elecsys</p> <p>Calcium + Vitamin D3, Immunoassay Analyzer Reagent Kit for Human Samples, Laboratory Vials (V2)</p> <p>Searched String: Diluent Universal E2G</p> <p>Universal Indicator, Universal tractor oils, Universal Bevel Protractor, Sofa (V3), Universal Puller Set, XLPE Cable for Working Voltage up to and Including 1.1 KV Marked To IS 7098 (Part 1), Universal Power Flow Controller, Universal Pipette Tips (V2), Desk and Bench Set for Classroom/Training Area, ATM Universal testing machine</p>
अधिसूचना के लिए चयनित प्रासंगिक श्रेणियाँ / Relevant Categories selected for notification	<ul style="list-style-type: none"> • Biochemistry Reagent Kit for Human Samples • Immunoassay Analyzer Reagent Kit for Human Samples
बीओक्यू शीर्षक / BOQ Title	Immunoassay Analyser Consumables
बिडर का न्यूनतम औसत वार्षिक टर्नओवर (3 वर्षों का) / Minimum Average Annual Turnover of the bidder (For 3 Years)	11 Lakh (s)

बिड विवरण/Bid Details	
मूल उपकरण निर्माता का औसत टर्नओवर (गत 3 वर्षों का)/OEM Average Turnover (Last 3 Years)	92 Lakh (s)
उन्हीं/समान सेवा के लिए अपेक्षित विगत अनुभव के वर्ष/Years of Past Experience Required for same/similar service	2 Year (s)
वर्षों के अनुभव एवं टर्नओवर से एमएसई को छूट प्राप्त है / MSE Relaxation for Years Of Experience and Turnover	Yes Complete
स्टार्टअप के लिए अनुभव के वर्षों और टर्नओवर से छूट प्रदान की गई है / Startup Relaxation for Years Of Experience and Turnover	Yes Complete
विक्रेता से मांगे गए दस्तावेज़/Document required from seller	Experience Criteria,Past Performance,Bidder Turnover,Certificate (Requested in ATC),OEM Authorization Certificate,OEM Annual Turnover,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
क्या आप निविदाकारों द्वारा अपलोड किए गए दस्तावेज़ों को निविदा में भाग लेने वाले सभी निविदाकारों को दिखाना चाहते हैं? संदर्भ मेनू है/Do you want to show documents uploaded by bidders to all bidders participated in bid?	Yes (Documents submitted as part of a clarification or representation during the tender/bid process will also be displayed to other participated bidders after log in)
बिड लगाने की समय सीमा स्वतः नहीं बढ़ाने के लिए आवश्यक बिड की संख्या। / Minimum number of bids required to disable automatic bid extension	1
दिनों की संख्या, जिनके लिए बिड लगाने की समय-सीमा बढ़ाई जाएगी। / Number of days for which Bid would be auto-extended	7
ऑटो एक्सटेंशन अधिकतम कितनी बार किया जाना है। / Number of Auto Extension count	1
विगत प्रदर्शन /Past Performance	50 %
बिड से रिवर्स नीलामी सक्रिय किया/Bid to RA enabled	No
बिड का प्रकार/Type of Bid	Two Packet Bid
प्राथमिक उत्पाद श्रेणी/Primary product category	Vitamin D total G3 Elecsys E2G 300
तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय /Time allowed for Technical Clarifications during technical evaluation	2 Days

बिड विवरण/Bid Details

निरीक्षण आवश्यक (सूचीबद्ध निरीक्षण प्राधिकरण /जेम के साथ पूर्व पंजीकृत एजेंसियों द्वारा)/Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No
अनुमानित बिड मूल्य / Estimated Bid Value	2337343
मूल्यांकन पद्धति/Evaluation Method	Total value wise evaluation
मध्यस्थता खंड/Arbitration Clause	No
सुलह खंड/Mediation Clause	No

ईएमडी विवरण/EMD Detail

एडवाइजरी बैंक/Advisory Bank	State Bank of India
ईएमडी राशि/EMD Amount	70000

ईपीबीजी विवरण /ePBG Detail

आवश्यकता/Required	No
-------------------	----

(a). जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित कैटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज प्रस्तुत करने है। एमएसई कैटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।/EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy.

(b). ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए। / EMD & Performance security should be in favour of Beneficiary, wherever it is applicable.

लाभार्थी /Beneficiary :

Dean

Esic Medical College and Hospital Alwar Rajasthan, Employees State Insurance Corporation (ESIC), Ministry of Labour and Employment
(Esic Fund Account No.1)

बोली विभाजन लागू नहीं किया गया/ Bid splitting not applied.

एमआईआई खरीद वरीयता/MII Purchase Preference

एमआईआई खरीद वरीयता/MII Purchase Preference	No
--	----

एमआईआई के लिए सक्षम प्राधिकारी का विवरण:/Details of the Competent Authority for MII

सक्षम प्राधिकारी का नाम/Name of Competent Authority	Hiamni Pandey
सक्षम प्राधिकारी का पदनाम/Designation of Competent Authority	Additional Secretary GOI

सक्षम प्राधिकारी का कार्यालय/विभाग/प्रभाग/Office / Department / Division of Competent Authority	Department for Promotion for Industry and Internal Trade
सीए अनुमोदन संख्या/CA Approval Number	P-45021/2/2017-PP (BE-II)-Part(4) Vol.II
सक्षम प्राधिकारी अनुमोदन तिथि/Competent Authority Approval Date	19-07-2024
सक्षम प्राधिकारी द्वारा प्रदान की गई स्वीकृति का संक्षिप्त विवरण/Brief Description of the Approval Granted by Competent Authority	4A .Exemption in sourcing of spare and consumables of closed System

Competent Authority Approval for not opting Make In India Preference : [View Document](#)

एमएसई खरीद वरीयता/MSE Purchase Preference

एमएसई खरीद वरीयता/MSE Purchase Preference	Yes
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माताओं/सेवा प्रदाता को खरीद में प्राथमिकता, यदि उनका मूल्य L1+X% / Purchase Preference to MSE OEMs/ Service Provider available upto price within L1+X%	15
सूक्ष्म और लघु उद्यम मूल उपकरण निर्माता/सेवा प्रदाता को खरीद में प्राथमिकता के लिए बिड की मात्रा का अधिकतम प्रतिशत / Percentage of Bid quantity/amount for MSE OEMs/ Service Provider Purchase preference	25

1. If the bidder is a Micro or Small Enterprise as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Experience Criteria" as defined above subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
2. If the bidder is a Micro or Small Enterprise (MSE) as per latest orders issued by Ministry of MSME, the bidder shall be relaxed from the eligibility criteria of "Bidder Turnover" as defined above subject to meeting of quality and technical specifications. If the bidder itself is MSE OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover, shall upload the supporting documents to prove his eligibility for Relaxation.
3. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Experience Criteria" as defined above subject to their meeting of quality and technical specifications. The bidder seeking Relaxation from Experience Criteria, shall upload the supporting documents to prove his eligibility for Relaxation.
4. If the bidder is a DPIIT registered Startup, the bidder shall be relaxed from the the eligibility criteria of "Bidder Turnover" as defined above subject to their meeting of quality and technical specifications. If the bidder is DPIIT Registered OEM of the offered products, it would be relaxed from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. The bidder seeking Relaxation from Turnover shall upload the supporting documents to prove his eligibility for Relaxation.
5. The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated above in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3-year-old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.
6. Experience Criteria: In respect of the filter applied for experience criteria, the Bidder or its OEM of the product offered in the bid {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for number of Financial years as indicated above in the bid document before the bid opening date. Copies of relevant contracts and delivery acceptance certificates like CRAC to be submitted along with bid in support of having supplied some quantity during each of the Financial year. In case of bunch bids, the category of primary product having highest value should meet this criterion.

7. OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. **Purchase preference to Micro and Small Enterprises (MSEs):** Purchase preference will be given to MSEs having valid Udyam Certificate and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service, and Buyer will decide eligibility for purchase preference based on documentary evidence submitted in case of product bids, whereas in case of services the eligibility is automatically validated. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

9. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

10. Past Performance: The Bidder or its OEM {themselves or through re-seller(s)} should have supplied same or similar Category Products for 50% of bid quantity, in at least one of the last three Financial years before the bid opening date to any Central / State Govt Organization / PSU. Copies of relevant contracts (proving supply of cumulative order quantity in any one financial year) to be submitted along with bid in support of quantity supplied in the relevant Financial year. In case of bunch bids, the category related to primary product having highest bid value should meet this criterion.

Pre Bid Detail(s)

मूल्य भिन्नता खंड दस्तावेज़/Pre-Bid Date and Time	प्री-बिड स्थान/Pre-Bid Venue
05-06-2026 16:00:00	COBFERENCE ROOM,ESIC Hospital and Medical College,M.I.A alwar,Rajasthan 301030 Immunoassay Analyser Consumables Friday, June 5 · 12:00 – 1:00pm Time zone: Asia/Kolkata Google Meet joining info Video call link: https://meet.google.com/pbt-ncwz-fna

Vitamin B12 G2 ElecsysE2G 300

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	4	15

Vitamin D Total G3 Elecsys E2G 300

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	4	15

FSH Elecsys E2G 300 V2

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	8	15

LH Elecsys E2G 300

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	8	15

Prolactin G2 Elecsys E2G 300

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	4	15

FT3 G3 Elecsys E2G 300 V2

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	25	15

FT4 G3 Elecsys E2G 300

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	25	15

TSH Elecsys E2G 300 V2

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	30	15

HCG Plus Beta Elecsys E2G

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	2	15

FSH CS Elecsys V3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	1	15

FT3 G3 CS Elecsys V2

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	2	15

FT4 G3 CS Elecsys

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	1	15

LH G2 CS Elecsys

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	2	15

Prolactin G2 CS Elecsys

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	2	15

TSH CS Elecsys V3

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	2	15

Vitamin B12 G2 CS Elecsys V2

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	2	15

HCG Plus Beta CS ElecsysV2

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	2	15

Vitamin D Total G3 CS Elecsys

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	2	15

CleanCell M 2 Into 2L Elecsys Cobas E

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	15	15

PreClean M G2 2x2L Elecsys E2G

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	8	15

ProCell M 2 Into 2L Elecsys Cobas E

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	11	15

Vitamin D Total G3 PC Elecsys

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	3	15

Preci Control Universal Elecsys V2

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	6	15

Preci Control Elecsys TM

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	2	15

Preci Control Varia Elecsys

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	2	15

Solution Cleaning ISE

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030,Esic Medical College & Hospital, Desula, M.I.A. Alwar	1	15

Diluent Universal E2G

तकनीकी विशिष्टियाँ /Technical Specifications

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

परेषिती/रिपोर्टिंग अधिकारी तथा मात्रा/Consignees/Reporting Officer and Quantity

क्र.सं./S.N o.	परेषिती/रिपोर्टिंग अधिकारी /Consignee Reporting/Officer	पता/Address	मात्रा /Quantity	डिलीवरी के दिन/Delivery Days
1	Rajendra Singh Churawat	301030, Esic Medical College & Hospital, Desula, M.I.A. Alwar	2	15

क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें/Buyer Added Bid Specific Terms and Conditions

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity up to 25% of the contracted quantity during the currency of the contract at the contracted rates. The delivery period of quantity shall commence from the last date of original delivery order and in cases where option clause is exercised during the extended delivery period the additional time shall commence from the last date of extended delivery period. The additional delivery time shall be $(\text{Increased quantity} \div \text{Original quantity}) \times \text{Original delivery period (in days)}$, subject to minimum of 30 days. If the original delivery period is less than 30 days, the additional time equals the original delivery period. The Purchaser may extend this calculated delivery duration up to the original delivery period while exercising the option clause. Bidders must comply with these terms.

2. Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3. Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

4. Generic

For hazardous chemical/item, all precautionary measure as per regulation from the point of transportation/ handling/ storage/ safety/ health/ environment to be undertaken/ specified before dispatch. During dispatch, proper symbol for the hazard/ MSDS/ Batch No./ date of manufacturing/ Gross Weight/ Net Weight/ shelf Life etc are to be written/ printed/ pasted on the body of the packing.

5. Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

6. Generic

Shelf Life: The Product/Spare parts to be supplied as part of the services must have minimum

2/3

Shelf Life. On the date of supply, minimum

2

usable shelf life should be available / balance.

7. Turnover

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

8. **Turnover**

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

9. **OEM**

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

10. **Certificates**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

11. **Certificates**

Material Test Certificate Should Be Sent Along with The Supply. The Material Will Be Checked by Buyer's Lab & the Results of the Lab will be the Sole Criteria for Acceptance of the Item.

12. **Certificates**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

13. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

1. Compatibility certificate-All Reagents/Controls/items must be compatible with ABG AutoAnalyser Brand

2. Proprietary Article Certificate .

3. Bidder must submit Lowest rate certificate

4. Supply made in staggered Manner as and when required by user department. (50 % item supply made within 0-15 days from the date of contract awarded and next supply within 165 to 180 days)

5. Bidder should submit all financial documents verified by Chartered accountant

अस्वीकरण/Disclaimer

The Additional Terms and Conditions (ATC) have been incorporated by the Buyer after approval of their Competent Authority. The Buyer ,is solely responsible for the impact of these clauses on the bidding process, its

outcome, and consequences thereof including any restriction arising in the bidding process due to these ATCs and including the modification of technical specifications and / or terms and conditions governing the bid. All representations / grievances pertaining to the ATC clauses shall be raised with the buyer organization directly and not with GeM. If any of the clause(s) is/are incorporated by the Buyer regarding the following, the bid & resultant contract shall be treated as null & void. Further, GeM reserves the right, at its sole discretion, to cancel the bid forthwith, without issuance of any prior notice or intimation :-

1. Publishing Custom / BOQ bids for items for which regular GeM categories are available (unless such Custom / BOQ item is bunched with the major regular product Category Item).
2. Mandating procurement of / from specific Brand / Make / Model / Manufacturer / Dealer except in case of Single Bid / Proprietary Article Certificate (PAC) Buying.
3. Inclusion of disqualification criteria related to suspension of seller / service provider, where such suspension period has already expired.
4. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
5. Publishing bids on GeM for procurement of works.
6. Procurement of Goods by creating a Service bid on GeM & vice-versa.
7. Seeking sample with bid or approval of samples during bid evaluation process. However, trial / sample, as the case may be, shall be permitted in cases where trial / sample are allowed as per approved and published procurement policy of the Buyers' controlling Ministry / Department / State / Public Sector Enterprises Headquarters. If there is any violation of trial / sample clause with regard to approved policy of the Buyers' Ministry / Department / State / Public Sector Enterprises Headquarters, then this is to be determined and redressed by the concerned Buyer Organisation only.
8. Seeking experience from specific organization / department / institute only or from foreign / export experience.
9. Creating bid for items from incorrect categories.
10. Reference of conditions published on any external site or reference to external documents/clauses.
11. Asking for any Tender fee / Bid Participation fee, as the case may be.
12. Buyer added ATC Clauses which are in contravention of clauses defined in bid detail section, including specifications, EMD Detail, ePBG Detail and MII and MSE Purchase Preference sections of the bid, unless otherwise allowed by the applicable GeM GTC.
13. Any ATC clause in contravention with GeM GTC Clause 4 (xiii) (h) will be invalid. In case of multiple L1 bidders against a service bid, the buyer shall place the Contract by selection of a bidder amongst the L-1 bidders through a Random Algorithm executed by GeM system.
14. In a category based bid, adding additional items, through buyer added, additional scope of work/ additional terms and conditions/or any other document. If buyer needs more items along with the main item, the same must be added through bunching category based items or by bunching custom catalogues or bunching a BoQ with the main category based item, the same must not be done through ATC or Scope of Work.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- **All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and**

- **All operative provisions of the erstwhile Labour Laws until their complete substitution.**

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

This Bid is governed by the General Terms and Conditions, conditions stipulated in Bid and Service Level Agreement specific to the Service, as the case may be, as provided in the Marketplace.

However, in case of Service, if any condition specified in General Terms and Conditions is contradicted by the conditions stipulated in Service Level Agreement specific to said Service, then it will over-ride the conditions in the General Terms and Conditions.

[यह बिड सामान्य शर्तों के अंतर्गत भी शासित है /This Bid is also governed by the General Terms and Conditions](#)

जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।/In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws.

---धन्यवाद/Thank You---